platinum
REVERSE
OSMOSIS
SYSTEM

Aquabir

TECFLO

JF
JAMMY
FILTER

R-VENT

ESLI
POLLET WATER GROUP

EVSEL ÇÖZÜMLER
DOMESTIC SOLUTIONS



POLLET WATER GROUP

POLLET WATER GROUP Belçika'da 1969 yılında temellerini atmış olup, günümüzde ise SU ARITMA sektöründe Uluslararası pazarın öncülerinden biri olmuştur.
Su arıtma sistemleri, paslanmaz çelik üretimi, matbaa ve süper market zincirlerine sahip olan Pollet Water Group, Avrupa'nın 13 farklı ülkesinde 24 firmayla 40 farklı ülkeye, Ürün tedariği, proje ve satışlar gerçekleştirmektedir. Yıllık 280 milyon Euro ciroya sahip olan grup 180.000 metrekare alan üzerine kurulu lokasyonların da 1000'den fazla çalışanıyla hizmet vermektedir.

POLLET WATER GROUP was established in 1969, Belgium and has become one of the leaders in the international market of WATER TREATMENT sector. Having water treatment systems and stainless steel production facilities, printing houses and supermarket chains, Pollet Water Group achieves projects and sales through 24 companies located in 13 different countries with exports to 40 different countries.
The group, which has 280 million euro of annual fund, provides service with more than 1000 employees in locations positioned on 180.000 m^2 area.

ESLI

POLLET WATER GROUP

ESLI

POLLET WATER GROUP

Esli End. Ur. Paz. San. ve Tic. Ltd. Sti, which has attracted a great deal of attention due to extraordinary water treatment projects in Turkey, was established in 1997 in Antalya by Aytekin Poçins and Eslişah Poçins. The firm started out to be a brand following developing technology with a functional, qualified, practical and reliable infrastructure. It has been working for 20 years sustainably and has become an insistently-preferred firm by the customers due to its knowledge, experience and innovative approaches.

Being a quarter-century of power, the firm has carried out successful projects both in Turkey and in many countries over the world by means of brands such as; RAVENT, AQUALINE, POLLET WATER GROUP, WCY, STYRE, ATUADOR, AQUABİR, AQUALINE PLATINUM, JAMMY FILTER, TECFLO, TAE TANK.

It got stronger by being incorporated with Pollet Water Group in 2003 and the success achieved within 20 years has been achieved only by competing with itself. Esli serves you in a solution-focused strategy and qualified approach with more than 250 devoted employees in the departments of Sales-Marketing, Project, Project-Production, Technique, Production, Graphic Design, Technical Drawing, Quality Control, Finance-Accounting, Human Sources, Purchasing, Dealer Sales, Foreign Trade, Overseas Sales, Information Technology and Quality Management.

As Esli was carrying on its activities in Antalya Organized Industrial Zone, it established Istanbul European Regional Directorate in 2000 to offer faster and qualified solutions for customers' demands and problems. Then, it established regional directorates respectively in İzmir (2002), Ankara (2008), Bodrum (2010), Adana (2011), Kocaeli (2012) and Istanbul Asia (2014). Thus, Esli is able to carry products and services to all over Turkey easily.

It makes production in accordance with international quality standards by following developing technology and determining the requirements. It also exports many countries thanks to consistent sales policy and foreign marketing activities.

Esli prepares projects for purification of seawater, municipal water, wastewater, river water and grey water; surface piping, softener, reverse osmosis, ultrafiltration, deionization, surface water treatment and chemical dosage systems with experienced engineering team, and provides products and services meeting requirements in all capacities.

It has forged ahead to be the most powerful domestic treatment supplier in Turkey by means of not only range of qualified products and spare parts but also its stock in domestic treatment sector.

Esli has quality certificates of ISO 9001, ISO 14001, Competency after Sales Services, Qa Technic, Domestic Goods, TSEK, Service Adequacy, OHSAS 18001, ISO 13485, EC.

Türkiye'de su arıtma sektöründe ses getiren bir çok sıradışı projeye imza atan, ESLİ END.ÜRÜN. PAZ.SAN ve TİC.LTD.ŞTİ 1997 yılında, Aytekin Poçins ve Eslişah Poçins önderliğinde Antalya'da kurulmuştur. Fonksiyonel, kaliteli, pratik ve yenilikçi sağlam bir alt yapı ile gelişen teknolojileri yakından takip eden, bir marka haline gelmek amacıyla yola çıkmıştır. 20 yıl hiç ara vermeden çalışan firma; bilgi, deneyim ve yenilikçi yaklaşımlarıyla müşterileri tarafından ısrarla tercih edilen bir firma haline geldi.

Çeyrek asırlık bir güç olan firma, RAVENT, AQUALINE, POLLET WATER GROUP, WCY, STYRE, ATUADOR, AQUABİR, AQUALINE PLATINUM, JAMMY FILTER, TECFLO, TAE TANK markalarıyla Türkiye'de ve Dünyanın bir çok ülkesinde ses getiren çalışmalara imza atmıştır.

2003 yılında Pollet Water Grup bünyesine katılarak daha da güçlenmiş olan firma, 20 yılda elde ettiği başarıyı; her zaman kendisiyle yarışarak elde etmiştir.

Satış-Pazarlama, Proje, Proje Üretim, Teknik, Üretim, Tasarım, Teknik Çizim, Kalite Kontrol, Finans- Muhasebe, İnsan Kaynakları, Satın Alma, Bayi Satış, İthalat-İhracat, Yurt Dışı Satış, Bilgi-İşlem, Kalite Yönetimi departmanlarında ile çözüm odaklı, 250'den fazla özverili çalışanlarıyla hizmet vermeye devam etmektedir.

ESLİ, Antalya Organize Sanayi Bölgesinde faaliyetlerini sürdürürken, müşteri talep ve sorunlarına hızlıca ve kaliteli çözüm sunmak anlayışı ile ilk olarak 2000 yılında İstanbul Avrupa bölge müdürlüğünü kurmuştur, ardından 2002 İzmir, 2008 Ankara, 2010 Bodrum, 2011 Adana, 2012 Kocaeli ve 2014 yılında İstanbul Asya bölge müdürlükleri açılmıştır.

Bu sayede Türkiye'nin her noktasına ürün ve hizmetlerini kolayca taşımaktadır.

Gelişen teknolojiyi yakından takip ederek, ihtiyaçları belirleyip, uluslararası kalite standartlarına uygun üretimler yaparak, istikrarlı satış politikasıyla yurtdışı pazarlama faaliyetleriyle de bir çok ülkeye ihracatlar yapmaktadır.

Güçlü Mühendis kadrosuyla, Deniz suyu arıtma, Şehir suyu arıtma, Atık su arıtma, Nehir suyu arıtma için; Yüzey borulama sistemleri, Yumuşatma Sistemleri, Ters Ozmoz Sistemleri, Ultra filtrasyon sistemleri Deiyanizasyon sistemleri, Gri Su Arıtma, Yüzey Suyu Arıtma Sistemleri, Kimyasal Dozaj sistemlerini projelendirerek her kapasiteyi cevaplayacak şekilde ürün ve hizmetini sunmaktadır.

Evsel arıtma sektöründe kaliteli ürün ve yedek parça çeşitliliğine stok gücünü de ekleyerek Ülkenin en güçlü Evsel arıtma tedarikçisi firma olma yolunda hızlı adımlarla ilerlemektedir.

ESLİ END.ÜRÜN.PAZ.SAN ve TİC.LTD.ŞTİ ISO 9001, ISO 14001, Satış Sonrası Hizmet Yeterlilik, Qa Technic, Yerli Malı, TSEK, Hizmet Yeterlilik, OHSAS 18001, ISO 13485, EC kalite belgelerine sahiptir

doğruSu
akıllı tercih

SU; Temel enerji kaynağı hücreye elektiriksel ve manyetik enerji üretir. DNA hasarını önler.

RIGHT Water Choice

WATER; Essential energy source produces electrical and magnetic energy for cells. Prevents DNA damage.

RAVENT SMART

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Kartuş Filtre (UDF)
- 12” Inline Block Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 2,2 Galon Metal Basınç Denge Tankı
- 3/8” Metal Küresel Vana
- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

LUX
POMPALI / POMPASIZ

- LG Membran
- Lux Musluk

CLASS
POMPALI / POMPASIZ

- Standart dizilim
- Yıldız Musluk

RAVENT SMART

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 2,2 Gallon Metallic Pressured Storage Tank
- Metallic Ball Valve 3/8”
- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

LUX
W/OUT PUMP

- LG Membrane
- Lux Faucet

CLASS
W/OUT PUMP

- Standard sequence
- Star Faucet

RAVENT COOL

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Kartuş Filtre (UDF)
- 12” Inline Block Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 3,2 Galon Metal Basınç Denge Tankı
- 3/8” Metal Küresel Vana
- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

LUX
POMPALI / POMPASIZ

- LG Membran
- Lux Musluk

CLASS
POMPALI / POMPASIZ

- Standart dizilim
- Yıldız Musluk

RAVENT COOL

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 3,2 Gallon Metallic Pressured Storage Tank
- Metallic Ball Valve 3/8”
- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

LUX
W/OUT PUMP

- LG Membrane
- Lux Faucet

CLASS
W/OUT PUMP

- Standard sequence
- Star Faucet

ROSY CLASS

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Filtre (UDF)
- 12” Inline Blok Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 2.2 Galon Metal Basınç Denge Tankı
- Yıldız Musluk
- Otomatik Shut-Off Valf

POMPASIZ

POMPALI

- LF-30L Pompa
- 24 Volt 1,5 Amper Adaptör
- Alçak basınç switch
- Yüksek Basınç switch

ROSY CLASS

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 2,2 Gallon Metallic Pressured Storage Tank
- Star Faucet
- Automatic Shut-Off Valve

W/OUT PUMP

WITH PUMP

- LF-30L Pump
- 24 Volt 1,2 Amper Adapter
- Low Pressure Switch
- High Pressure Switch

CG2

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Kartuş Filtre (UDF)
- 12” Inline Block Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 2,2 Galon Metal Basınç Denge Tankı
- Yıldız Musluk
- Otomatik Shut-Off Valf

POMPASIZ

POMPALI

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

CG2

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 2,2 Gallon Metallic Pressured Storage Tank
- Star Faucet
- Automatic Shut-Off Valve

WITH OUT PUMP

WITH PUMP

- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

CJ SLIM

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Filtre (UDF)
- 12” Inline Blok Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre

75 GPD POMPASIZ

- 3.2 Galon Metal Tank
- 75 GPD Membran
- Lüks Musluk

75 GPD POMPALI

- 3.2 Galon Metal Tank
- Alçak - yüksek basınç switch
- 24 V Pompa ve Adaptör

300 GPD DİREK AKIŞ POMPASIZ

- 150 GPD Membran x 2
- Yıldız Musluk

300 GPD DİREK AKIŞ POMPALI

- HK 51 Pompa
- 300 GPD Adaptör
- Alçak - yüksek basınç switch

CJ SLIM

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter

75 GPD WITH OUT PUMP

- 3,2 Gallon Metallic Tank
- 75 GPD Membrane
- Star Faucet

75 GPD WITH PUMP

- 3,2 Gallon Metallic Tank
- 24 Volt Pump and Adapter
- Low-High Pressure Switch

300 GPD DIRECT FLOW WITH OUT PUMP

- 150 GPD Membran x 2
- Star Faucet

300 GPD DIRECT FLOW WITH PUMP

- HK 51 Pump
- 300 GPD Adaptör
- Low-High Pressure Switch

FZ

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Filtre (UDF)
- 12” Inline Blok Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 5 Lt Plastik Su Haznesi (Şeffaf)
- Otomatik Shut-Off Valf
- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

POMPALI

FZ

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 5 Lt Plastic Water Reservoir (Transparent)
- Automatic Shut-Off Valve
- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

WITH PUMP

FE-300 DİREK AKIŞ

- 10” Şeffaf Housing (Çift O-Ring)
- 10” Beyaz Mat Housing (Çift O-Ring)
- 10” Kalın 5 Mikron Spun (Sediment) Filtre
- 10” Stout GAC Karbon Kartuş Filtre (UDF)
- 10” Stout Blok Karbon Kartuş Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 300 GPD Membran
- 300 GPD Pompa
- 300’lük Adaptör
- Yıldız Musluk
- Manometre (10 Bar)

POMPALI

FE-300 DIRECT FLOW

- 10” Transparent Housing (Double O-Ring)
- 10” White Opaque Housing (Double O-Ring)
- 10” Thick 5 Micron Spun (Sediment) Filter
- 10” Stout GAC Carbon Cartridge Filter (UDF)
- 10” Stout Block Carbon Cartridge Filter (CTO)
- 12” Inline Coconut Post Carbon Filter
- 300 GPD Membrane
- 300 GPD Pump
- Adapter
- Star Faucet
- Manometer (10 Bar)

WITH PUMP

JAMMY

- 10” Şeffaf Housing (Çift O-Ring)
- 10” Beyaz Mat Housing (Çift O-Ring)
- 10” 5 Mikron Spun (Sediment) Filtre
- 10” GAC Karbon Kartuş Filtre (UDF)
- 10” Blok Karbon Kartuş Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 3.2 Galon Metal Basınç Denge Tankı
- Yıldız Musluk
- Otomatik Shut-Off Valf

POMPASIZ

POMPALI

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

JAMMY

- 10” Transparent Housing (Double O-Ring)
- 10” White Opaque Housing (Double O-Ring)
- 10” 5 Micron Spun (Sediment) Filter
- 10” GAC Carbon Cartridge Filter (UDF)
- 10” Block Carbon Cartridge Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 3.2 Gallon Metallic Pressured Storage Tank
- Star Faucet
- Automatic Shut-Off Valve

WITH OUT PUMP

WITH PUMP

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

TECFLO

- 10” Şeffaf Housing (Çift O-Ring)
- 10” Beyaz Mat Housing (Çift O-Ring)
- 10” 5 Mikron Spun (Sediment) Filtre
- 10” GAC Karbon Kartuş Filtre (UDF)
- 10” Blok Karbon Kartuş Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 3.2 Galon Metal Basınç Denge Tankı
- Yıldız Musluk
- Otomatik Shut-Off Valf

POMPASIZ

POMPALI

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

TECFLO

- 10” Transparent Housing (Double O-Ring)
- 10” White Opaque Housing (Double O-Ring)
- 10” 5 Micron Spun (Sediment) Filter
- 10” GAC Carbon Cartridge Filter (UDF)
- 10” Block Carbon Cartridge Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 3.2 Gallon Metallic Pressured Storage Tank
- Star Faucet
- Automatic Shut-Off Valve

WITH OUT PUMP

WITH PUMP

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

AQUABİR

- 10” Şeffaf Housing (Çift O-Ring)
- 10” Beyaz Mat Housing (Çift O-Ring)
- 10” 5 Mikron Spun (Sediment) Filtre
- 10” GAC Karbon Kartuş Filtre (UDF)
- 10” Blok Karbon Kartuş Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- 3.2 Galon Metal Basınç Denge Tankı
- Yıldız Musluk
- Otomatik Shut-Off Valf
- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

POMPALI

AQUABIR

- 10” Transparent Housing (Double O-Ring)
- 10” White Opaque Housing (Double O-Ring)
- 10” 5 Micron Spun (Sediment) Filter
- 10” GAC Carbon Cartridge Filter (UDF)
- 10” Block Carbon Cartridge Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- 3.2 Gallon Metallic Pressured Storage Tank
- Star Faucet
- Automatic Shut-Off Valve
- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

WITH PUMP

doğruSu
akıllı tercih
RIGHT Water Choice

AQUA

Az yer kaplayan şık tasarımlar.

Elegant compact designs.

KS SEBİL- mini

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline Blok Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- Otomatik Shut-Off Valf
- Soğuk Su Tankı
- Sıcak Su Tankı

POMPASIZ

KS WATER DISPENSER- mini

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- Automatic Shut-Off Valve
- Cold Water Tank
- Hot Water Tank

WITH OUT PUMP

KS SEBİL

- 12” Inline 5 Mikron Spun (Sediment) Filtre
- 12” Inline GAC Karbon Kartuş Filtre (UDF)
- 12” Inline Blok Karbon Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- 75 GPD Membran
- Otomatik Shut-Off Valf
- Soğuk Su Tankı: 3.1 Litre
- Sıcak Su Tankı: 2 Litre
  (Anlık sıcak su 0,5 Lt)

POMPASIZ

POMPALI

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

KS WATER DISPENSER

- 12” Inline 5 Micron Spun (Sediment) Filter
- 12” Inline GAC Carbon Cartridge Filter (UDF)
- 12” Inline Block Carbon Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- Automatic Shut-Off Valve
- Cold Water Tank: 3.1 Liter
- Hot Water Tank: 2 Liter
  (Instantaneous hot water 0,5 Lt)

WITH OUT PUMP

WITH PUMP

- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

“İSTER SOĞUK, İSTER SICAK, SUYUNUZ HER AN HAZIR”

CARITAS SU SEBİLİ

- 10” Şeffaf Housing (Çift O-Ring)
- 10” Beyaz Mat Housing (Çift O-Ring)
- 10” 5 Mikron Spun (Sediment) Filtre
- 10” GAC Karbon Kartuş Filtre (UDF)
- 10” Blok Karbon Kartuş Filtre (CTO)
- 10” Inline Coconut Post Karbon Filtre
- Otomatik Shut-Off Valf

75 GPD POMPALI

- 150 Lt/gün
- LF-30L Pompa
- 24 Volt 1,2 Amper Adaptör

300 GPD POMPALI

- 1000 Lt/gün
- 300 GPD Pompa
- 300’lük Adaptör
- Manometre (10 Bar)

CARITAS WATER DISPENSER

- 10” Transparent Housing (Double O-Ring)
- 10” White Opaque Housing (Double O-Ring)
- 10” 5 Micron Spun (Sediment) Filter
- 10” GAC Carbon Cartridge Filter (UDF)
- 10” Block Carbon Cartridge Filter (CTO)
- 10” Inline Coconut Post Carbon Filter
- 75 GPD Membrane
- Automatic Shut-Off Valve

75 GPD WITH PUMP

- 150 Lt/day
- LF-30L Pump
- 24 Volt 1,2 Amper Adapter

300 GPD WITH PUMP

- 1000 Lt/day
- 300 GPD Pump
- Adapter
- Manometer (10 Bar)

RO 200/300/400/500 YÜKSEK AKIŞ

POMPALI

- 20” Mat Mavi Housing (2 Adet)
- 20” Şeffaf Housing (1 Adet)
- 20” 5 Mikron Spun (Sediment) Filtre
- 20” GAC Karbon Kartuş Filtre (UDF)
- 20” Blok Karbon Kartuş Filtre (CTO)
- 12” Post Karbon Coconut
- 4x100 GPD = 400 GPD Membran
- 400 GPD Pompa
- 400’lük Adaptör
- Yıldız Musluk

RO 200/300/400/500 HIGH FLOW

WITH PUMP

- 20” Opaque Blue Housing (2 Pcs)
- 20” Transparent Housing (1 Pcs)
- 20” 5 Micron Spun (Sediment) Filter
- 20” GAC Carbon Cartridge Filter (UDF)
- 20” Block Carbon Cartridge Filter (CTO)
- 12” Post Carbon Coconut
- 4x100 GPD = 400 GPD Membrane
- 400 GPD Pump
- Adapter
- Star Faucet

doğruSu
akıllı tercih

Yeterli ve kaliteli su içmek;
Hücrelerin tam kapasite ile çalışmasına, Bağışıklık sisteminin güçlenmesine, Ciddi hastalıklardan korunmamıza yardımcı olur.

RIGHT Water Choice

Drinking adequate and qualified water;
Helps cells to be activated in full capacity, Enchances immune system, Prevents serious diseases

YUMUŞATMA SİSTEMLERİ

SOFTENER SYSTEMS

CS4H KABİNETLER / CS4H CABINETS

MODEL	TANK BOYUT	CİHAZ BAĞLANTI ÇAPI	SERVİS DEBİSİ m^3/h $40m^{3/}m^3$-resin.hour	MİNERAL REÇİNE (lt)
MODEL	TANK SIZE	CONNECTION DIAMETER	SERVICE FLOW m^3/h $40m^{3/}m^3$-resin.hour	MINERAL RESIN
CS4H 8	8” X 17”	1”	0,32	8
CS4H 15	7” X 35”	1”	0,6	15
CS4H 20	8” X 35”	1”	0,8	20
CS4H 25	9” X 35”	1”	1	25
CS4H 30	10” X 35”	1”	1,2	30

LUXURY KABİNETLER / LUXURY CABINETS

MODEL	TANK BOYUT	CİHAZ BAĞLANTI ÇAPI	SERVİS DEBİSİ m^3/saat $40m^{3/}m^3$-reçine.saat	MİNERAL REÇİNE (lt)
MODEL	TANK SIZE	CONNECTION DIAMETER	SERVICE FLOW m^3/h $40m^{3/}m^3$-resin.hour	MINERAL RESIN
LUXURY 8	8” X 17”	1”	0,32	8
LUXURY 15	7” X 35”	1”	0,6	15
LUXURY 20	8” X 35”	1”	0,8	20
LUXURY 25	9” X 35”	1”	1	25
LUXURY 30	10” X 35”	1”	1,2	30

YUMUŞATMA SİSTEMLERİ

SOFTENER SYSTEMS

OPEN KABİNETLER / OPEN CABINETS

MODEL	TANK BOYUT	CİHAZ BAĞLANTI ÇAPI	SERVİS DEBİSİ m^3/saat $40m^{3/}m^3$-reçine.saat	MİNERAL REÇİNE (lt)
MODEL	TANK SIZE	CONNECTION DIAMETER	SERVICE FLOW m^3/h $40m^{3/}m^3$-resin.hour	MINERAL RESIN
OPEN 8	8” X 17”	1”	0,32	8
OPEN 15	7” X 35”	1”	0,6	15
OPEN 20	8” X 35”	1”	0,8	20
OPEN 25	9” X 35”	1”	1	25
OPEN 30	10” X 35”	1”	1,2	30

SWAN KABİNETLER / SWAN CABINETS

MODEL	TANK BOYUT	CİHAZ BAĞLANTI ÇAPI	SERVİS DEBİSİ m^3/saat $40m^{3/}m^3$-reçine.saat	MİNERAL REÇİNE (lt)
MODEL	TANK SIZE	CONNECTION DIAMETER	SERVICE FLOW m^3/h $40m^{3/}m^3$-resin.hour	MINERAL RESIN
SWAN 8	8” X 17”	1”	0,32	8
SWAN 15	7” X 35”	1”	0,6	15
SWAN 20	8” X 35”	1”	0,8	20
SWAN 25	9” X 35”	1”	1	25
SWAN 30	10” X 35”	1”	1,2	30

doğruSu
akıllı tercih

Cildi yumuşatır, Gözlere canlılık verir, Uykuyu düzenler, Yorgunluğu giderir, Gençlik enerjisi verir...

RIGHT Water Choice

Softens your skin, Brightens your eyes, Regulates your sleep, Eliminates tiredness,Gives energy...

MİNERAL FİLTRELER

MINERAL FILTERS

ST-33
Inline Sarı
Mineral Filtre

KOD **07104055**

ST-33
Inline Gold
Mineral Filtre

KOD **07104070**

ST-33
Inline Mavi
Mineral Filtre

KOD **07104075**

ST-33
Inline 4'lü
Mineral Filtre

KOD **07104080**

Far
Infrared Ray
(Detoks Filtre)

KOD **07104120**

HND FİLTRELER

HND FILTERS

HND
12" Inline
Spun Filtre

KOD **07109000**

Sediment ★★★★★

HND 12"
GAC Filtre

KOD **07107005**

UDF, Coconut Karbon ★★★★★

HND
12" Inline Blok
Karbon Filtre

KOD **07109010**

CTO, Coconut Kabon ★★★★★

INLINE FİLTRELER

INLINE FILTERS

12” Inline Spun Filtre

KOD 07103060

Sediment, EKO, Quick Bağlantı + Fittings Dahil ★★★★★

12” Inline Spun Filtre

KOD 07103000

Sediment, NSF Sertifikası Bulunmaktadır ★★★★★



12” Inline GAC Karbon Filtre

KOD 07103061

UDF, EKO, Quick Bağlantı + Fittings Dahil ★★★★★

12” Inline Gac Karbon Filtre

KOD 07103040

Coconut Karbon

UDF, NSF Sertifikası Bulunmaktadır ★★★★★

12” Inline Block Karbon Filtre

KOD 07103062

CTO, EKO, Quick Bağlantı + Fittings Dahil ★★★★★

12” Inline Block Karbon Filtre

KOD 07103020

Coconut Karbon

CTO, NSF Sertifikası Bulunmaktadır ★★★★★

pH FİLTRELER

pH FILTERS

ST-33 Yeşil Alkali Mineral Filtre

KOD 07104095

pH Stabilizer

ST-33 Filtre

KOD 07104110

pH Stabilizer

ST-33 Carbosex Alkali Mineral Filtre

KOD 07104115

pH Stabilizer

★★★★★

PENTAIR

Pentek Filtre

KOD 07104090

pH Stabilizer

★★★★★

MUSLUKLAR

FAUCETS

Lüks Musluk

KOD **05702015**

★★★★★

Yıldız Musluk

KOD **05702000**

Yıldız
Gold Musluk

KOD **05702010**

Deve Boynu
Lüks Musluk

KOD **05702021**

★★★★★

Avangard
Musluk

KOD **05702030**

Triple Swan
RO Musluk

KOD **05702035**

3 yollu Sıcak / Soğuk

Sıcak / Soğuk /
RO Musluk

KOD **05702040**

3 yollu Sıcak / Soğuk

doğruSu
akıllı tercih

Besin öğelerinin vücuda
taşınmasına yardımcı olur.

RIGHT Water Choice

Helps nutritional elements
be carried to the body.

METAL BASINÇ DENGE TANKLARI

METALLIC PRESSURED STORAGE TANKS

2.0 Galon
Metal Basınç
Denge Tankı

KOD 05701050

2.2 Galon
Metal Basınç
Denge Tankı

KOD 05701055

3.2 Galon
Metal Basınç
Denge Tankı

KOD 05701060

6.5 Galon
Metal Basınç
Denge Tankı

KOD 05701065

11 Galon
Metal Basınç
Denge Tankı

KOD 05701070

20 Galon
Metal Basınç
Denge Tankı

KOD 05701075

SERTİFİKALAR

CERTIFICATES

NSF

MEMBER Water Quality ASSOCIATION

CE

“ doğruSu akıllı tercih ”

444 7 099 RIGHT Water Choice

ANTALYA (MERKEZ)
Antalya Organize Sanayi Bölgesi 1. Kısım
Antalya Bulvarı No: 36 Döşemealtı 07190
T: +90 242 417 7620 F: +90 242 417 7630

BÖLGE MÜDÜRLÜKLERİ
İSTANBUL/Avrupa +90 212 T: 886 4081 F: 886 4085
İSTANBUL/Asya +90 216 T: 509 1970 F: 509 1973
İZMİR +90 232 T: 348 0512 F: 348 0516
ANKARA +90 312 T: 397 8406 F: 397 8408
ADANA +90 322 T: 300 0071 F: 300 0074
KOCAELİ +90 262 T: 319 4320 F: 319 4325

esli@esli.com.tr www.esli.com.tr